

### AMENDMENTS TO THE CLAIMS

Please amend Claims 1, 6, 12, 16, 20, 25, 29, 36, 48, 52, and 83, as follows.

Please cancel, without prejudice, Claims 40-47, 67-75, and 89-92.

Please add new Claim 93 as follows.

---

Claim 1. (Currently Amended) A method for controlling power consumption of a computer processor on a chip comprising the steps of:

determining a maximum allowable power consumption level from an operating condition of the processor,

said computer processor determining a maximum frequency which provides power not greater than the allowable power consumption level,

said computer processor determining a minimum voltage which allows operation at the maximum frequency determined, and

dynamically changing the power consumption of the processor by changing frequency and voltage, respectively, to the maximum frequency and the minimum voltage determined.

Claim 2. (Previously Presented) A computing device comprising:

a power supply furnishing selectable output voltages,

a clock frequency source,

a central processor including:

a processing unit for providing values indicative of operating conditions of the central processor, and

a clock frequency generator receiving a clock frequency from the clock frequency source and providing one of a plurality of selectable output clock frequencies to the processing unit; and

means for detecting the values indicative of operating conditions of the central processor and causing the power supply and clock frequency generator to furnish an output clock frequency and voltage level for the central processor and to generate concurrently frequencies which are selected for optimum operation of a plurality of functional units of the computing device.

Claim 3. (Original) A computing device as claimed in Claim 2 in which the means for detecting the values indicative of operating conditions of the central processor comprises control software for determining an output clock frequency and voltage level for the central processor adapted to conserve power while maintaining an effective execution rate.

Claims 4-5. (Cancelled)

Claim 6. (Currently Amended) A method for controlling the power used by a computer comprising the steps of:

utilizing control software dedicated to a central processor to measure the operating characteristics of ~~[[a]]~~ the central processor of the computer,  
determining when the operating characteristics of the central processor are significantly different than required by the operations being conducted, and  
changing the operating characteristics of the central processor to a level commensurate with the operations being conducted in which:

the step of determining when the operating characteristics of the central processor are significantly different than required by the operations being conducted comprising utilizing the control software to determine desirable voltages and frequencies for the operation of the central processor based on the measured operating characteristics, and

the step of changing the operating characteristics of the central processor to a level commensurate with the operations being conducted comprises providing signals:

for controlling voltages furnished by a programmable power supply to the central processor,

for controlling frequencies furnished by the central processor to the central processor, and

providing signals for controlling frequencies furnished by the central processor to other functional units of the computer.

Claim 7. (Cancelled)

8. (Previously Presented) A computer comprising:  
a power supply furnishing selectable output voltages,  
a clock frequency source,

a bus,  
system memory,  
a central processor including:  
a processing unit for providing values indicative of operating conditions  
of the central processor, and  
a clock frequency generator receiving a clock frequency from the clock  
frequency source and providing a plurality of selectable output clock  
frequencies to the processing unit; and  
means for detecting the values indicative of operating conditions of the central  
processor and causing the power supply and clock frequency generator to furnish an  
output clock frequency and voltage level for the central processor and to generate  
concurrently frequencies which are selected for optimum operation of a plurality of  
functional units of the computing device including system memory.

9  
Claim 9. (Original) A computer as claimed in Claim 8 in which the means for  
detecting the values indicative of operating conditions of the central processor  
comprises control software for determining an output clock frequency and voltage  
level for the central processor adapted to conserve power while maintaining an  
effective execution rate.

Claim 10. (Previously Presented) A computing device as claimed in Claim 8 in  
which the means for detecting the values indicative of operating conditions of the  
central processor causes the clock frequency generator to generate frequencies with  
are selected for optimum operation of system memory.

Claim 11. (Previously Presented) A computing device as claimed in Claim 8 in  
which the means for detecting the values indicative of operating conditions of the  
central processor causes the clock frequency generator to generate frequencies  
which are selected for optimum operation of the bus.

Claim 12. (Currently Amended) A method of controlling a computer processor,  
comprising:

monitoring operating conditions internal to said computer processor;  
said computer processor determining a frequency and a voltage at which to  
operate said computer processor, based on said internal operating conditions; and  
implementing the determined frequency and voltage.

Claim 13. (Previously Presented) The method of Claim 12, wherein said implementing comprises:

lowering frequency at which said computer processor is operated prior to lowering voltage at which said computer processor is operated.

Claim 14. (Previously Presented) The method of Claim 13, wherein said implementing further comprises:

increasing voltage at which said computer processor is operated prior to increasing frequency at which said computer processor is operated.

Claim 15. (Previously Presented) The method of Claim 12, wherein said implementing comprises:

increasing voltage at which said computer processor is operated prior to increasing frequency at which said computer processor is operated.

Claim 16. (Currently Amended) ~~The method of Claim 12,~~

A method of controlling a computer processor, comprising:  
monitoring operating conditions internal to said computer processor;  
determining a frequency and a voltage at which to operate said computer processor, based on said internal operating conditions; and  
implementing the determined frequency and voltage, wherein said implementing comprises:

executing instructions in said computer processor while changing lowering voltage at which said computer processor is operated.

Claim 17. (Previously Presented) The method of Claim 13, wherein said implementing further comprises:

executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claim 18. (Previously Presented) The method of Claim 13, wherein said implementing further comprises:

executing instructions in said computer processor after lowering frequency at which said computer processor is operated; and

then lowering voltage at which said computer processor is operated while executing instructions in said computer processor.

Claim 19. (Previously Presented) The method of Claim 13, wherein said implementing further comprises:

lowering voltage at which said computer processor is operated; and  
then executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claim 20. (Currently Amended) A method of controlling a computer processor, comprising:

monitoring idle time of said computer processor;  
said computer processor determining a frequency and a voltage at which to operate said computer processor, based on said idle time; and  
implementing the determined frequency and voltage.

Claim 21. (Previously Presented) The method of Claim 20, wherein said implementing comprises:

lowering frequency at which said computer processor is operated prior to lowering voltage at which said computer processor is operated.

Claim 22. (Previously Presented) The method of Claim 21, wherein said implementing further comprises:

increasing voltage at which said computer processor is operated prior to increasing frequency at which said computer processor is operated.

Claim 23. (Previously Presented) The method of Claim 20, wherein said implementing comprises:

increasing voltage at which said computer processor is operated prior to increasing frequency at which said computer processor is operated.

Claim 24. (Previously Presented) The method of Claim 20, wherein said monitoring idle time comprises monitoring internal data of said computer processor.

Claim 25. (Currently Amended) The method of Claim 20, wherein said implementing comprises:

executing instructions in said computer processor while ~~lowering~~ changing voltage at which said computer processor is operated.

Claim 26. (Previously Presented) The method of Claim 21, wherein said implementing further comprises:

executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claim 27. (Previously Presented) The method of Claim 21, wherein said implementing further comprises:

executing instructions in said computer processor after lowering frequency at which said computer processor is operated; and

then lowering voltage at which said computer processor is operated while executing instructions in said computer processor.

Claim 28. (Previously Presented) The method of Claim 21, wherein said implementing further comprises:

lowering voltage at which said computer processor is operated; and

then executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claim 29. (Currently Amended) A method of controlling a computer processor, comprising:

monitoring a state of said computer processor;

said computer processor determining a frequency and a voltage at which to operate said computer processor, based on said state; and

implementing the determined frequency and voltage.

Claim 30. (Previously Presented) The method of Claim 29, wherein said state comprises a sleep state.

Claim 31. (Previously Presented) The method of Claim 30, wherein said monitoring further comprises monitoring a halt state of said computer processor.

Claim 32. (Previously Presented) The method of Claim 29, wherein said state comprises a halt state.

Claim 33. (Previously Presented) The method of Claim 29, wherein said implementing comprises:

lowering frequency at which said computer processor is operated prior to lowering voltage at which said computer processor is operated.

Claim 34. (Previously Presented) The method of Claim 33, wherein said implementing further comprises:

increasing voltage at which said computer processor is operated prior to increasing frequency at which said computer processor is operated.

Claim 35. (Previously Presented) The method of Claim 29, wherein said implementing comprises:

increasing voltage at which said computer processor is operated prior to increasing frequency at which said computer processor is operated.

Claim 36. (Currently Amended) The method of Claim 29, wherein said implementing comprises:

executing instructions in said computer processor while ~~lowering~~ changing voltage at which said computer processor is operated.

Claim 37. (Previously Presented) The method of Claim 33, wherein said implementing further comprises:

executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claim 38. (Previously Presented) The method of Claim 33, wherein said implementing further comprises:

executing instructions in said computer processor after lowering frequency at which said computer processor is operated; and

then lowering voltage at which said computer processor is operated while executing instructions in said computer processor.

Claim 39. (Previously Presented) The method of Claim 33, wherein said implementing further comprises:

lowering voltage at which said computer processor is operated; and

then executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claims 40-47. (Cancelled)

Claim 48. (Currently Amended) A method of managing power consumption comprising:

monitoring internal conditions of a computer processor;  
based on said internal conditions, determining an allowable power consumption level;

a computer processor determining a voltage-frequency pair for said allowable power consumption level; and

dynamically changing power consumption of the computer processor by implementing said voltage-frequency pair.

Claim 49. (Previously Presented) The method of Claim 48, wherein said dynamically changing power consumption comprises:

lowering frequency at which said computer processor is operated prior to lowering voltage at which said computer processor is operated.

Claim 50. (Previously Presented) The method of Claim 49, wherein said dynamically changing power consumption further comprises:

increasing voltage at which said computer processor is operated prior to increasing frequency at which said computer processor is operated.

Claim 51. (Previously Presented) The method of Claim 48, wherein said dynamically changing power consumption comprises:

increasing voltage at which said computer processor is operated prior to increasing frequency at which said computer processor is operated.

Claim 52. (Currently Amended) The method of Claim 48, wherein said implementing comprises:

executing instructions in said computer processor while ~~lowering~~ changing voltage at which said computer processor is operated.



Claim 53. (Previously Presented) The method of Claim 49, wherein said implementing further comprises:

executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claim 54. (Previously Presented) The method of Claim 49, wherein said implementing further comprises:

executing instructions in said computer processor after lowering frequency at which said computer processor is operated; and

then lowering voltage at which said computer processor is operated while executing instructions in said computer processor.

Claim 55. (Previously Presented) The method of Claim 49, wherein said implementing further comprises:

lowering voltage at which said computer processor is operated; and

then executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claim 56. (Previously Presented) The method of Claim 48, wherein said monitoring comprises monitoring a state of said computer processor.

Claim 57. (Previously Presented) The method of Claim 56, wherein said state comprises a halt state.

Claim 58. (Previously Presented) The method of Claim 56, wherein said state comprises a sleep state.

Claim 59. (Previously Presented) The method of Claim 58, wherein said monitoring further comprises monitoring a halt state of said computer processor.

Claim 60. (Previously Presented) The method of Claim 48, wherein said monitoring comprises monitoring a temperature.

Claim 61. (Previously Presented) The method of Claim 60, wherein said monitoring further comprises monitoring a state of said computer processor.

Claim 62. (Previously Presented) The method of Claim 61, wherein said state comprises a halt state.

Claim 63. (Previously Presented) The method of Claim 61, wherein said state comprises a sleep state.

Claim 64. (Previously Presented) The method of Claim 63, wherein said monitoring further comprises monitoring a halt state of said computer processor.

Claim 65. (Previously Presented) The method of Claim 48, wherein said determining a voltage-frequency pair comprises accessing a table of pre-determined voltage-frequency pairs.

Claim 66. (Previously Presented) The method of Claim 48, wherein said determining a voltage-frequency pair comprises calculating a voltage-frequency pair.

Claims 67-75. (Cancelled)

Claim 76. (Previously Presented) A computing device comprising:  
a power supply furnishing selectable output voltages;  
a clock frequency source; and  
a central processor comprising:  
a clock frequency generator receiving a clock frequency from the clock frequency source; and  
a processing unit operable to provide values indicative of operating conditions of the central processor and to cause the power supply and the clock frequency generator to furnish a voltage level and an output clock frequency for the central processor.

Claim 77. (Previously Presented) The computing device of Claim 76, wherein:  
said clock frequency generator is operable to provide one of a plurality of selectable output clock frequencies to the processing unit.

Claim 78. (Previously Presented) The computing device of Claim 77, wherein:  
said clock frequency generator is further operable to concurrently generate frequencies for a plurality of functional units of the computing device.

Claim 79. (Previously Presented) The computing device of Claim 76, wherein:  
said clock frequency generator is operable to concurrently generate  
frequencies for a plurality of functional units of the computing device.

Claim 80. (Previously Presented) The method of Claim 1, wherein said dynamically  
changing the power consumption comprises increasing voltage prior to increasing  
frequency.

Claim 81. (Previously Presented) The method of Claim 60, wherein said  
dynamically changing the power consumption comprises lowering frequency prior to  
lowering voltage.

Claim 82. (Previously Presented) The method of Claim 1, wherein said dynamically  
changing the power consumption comprises lowering frequency prior to lowering  
voltage.

Claim 83. (Currently Amended) The method of Claim 1, wherein said dynamically  
changing the power consumption comprises:  
executing instructions in said computer processor while ~~lowering~~ changing  
voltage at which said computer processor is operated.

Claim 84. (Previously Presented) The method of Claim 82, wherein dynamically  
changing the power consumption further comprises:  
executing instructions in said computer processor while lowering voltage at which  
said computer processor is operated.

Claim 85. (Previously Presented) The method of Claim 82, wherein dynamically  
changing the power consumption further comprises:  
executing instructions in said computer processor after lowering frequency at  
which said computer processor is operated; and  
then lowering voltage at which said computer processor is operated while  
executing instructions in said computer processor.

Claim 86. (Previously Presented) The method of Claim 82, wherein dynamically changing the power consumption further comprises:

lowering voltage at which said computer processor is operated; and  
then executing instructions in said computer processor while lowering voltage at which said computer processor is operated.

Claim 87. (Previously Presented) The method of Claim 1, wherein said dynamically changing the power consumption comprises concurrently generating a plurality of frequencies.

Claim 88. (Previously Presented) The method of Claim 1, wherein said operating condition of the processor is internal to the processor.

Claims 89-92. (Cancelled)

Claim 93. (New) The method of Claim 12, wherein said monitoring comprises said computer processor monitoring operating conditions internal to said computer processor.